

# Cub Cadet®

BETTER PRODUCTS. BETTER EXPERIENCE. BETTER RESULTS.  
THE SMART CHOICE.



PRODUCT  
LINE UP



[cubcadet.ca](http://cubcadet.ca)

# Cub Cadet®



## 5 DISTINCT REASONS YOUR AUTHORIZED CUB CADET® DEALER IS ALWAYS A SMART CHOICE

### 1 UNSURPASSED EXPERTISE

Cub Cadet® dealers are outdoor power equipment specialists ready to expertly match the ideal Cub Cadet® products to your specific needs and budget. They'll even let you test drive them just to be sure. You can expect to have an enjoyable experience from the moment you walk in the door.

### 2 A MEMBER OF YOUR COMMUNITY

Each Cub Cadet® dealership is locally owned and operated. That means your Cub Cadet® dealer, employees and their families are active members of your community - many of them for multiple generations.

### 3 EXPERT SERVICE, SUPPORT AND CONVENIENCE

Friendly product experts and factory-trained service technicians assure your Cub Cadet® performs flawlessly from the start and keeps it running strong season after season. Need service? They'll even pick it up!

### 4 THE WIDEST SELECTION

Your Cub Cadet® dealer always has a wide selection of professional and residential Cub Cadet® products on hand so you can explore and compare. There's a Cub Cadet® for every challenge and every season.

### 5 GENUINE FACTORY PARTS AND ACCESSORIES

For optimum performance and durability, a full line of Genuine Factory Parts is available from the folks who know your Cub Cadet®.

Find your expert dealer by visiting: [cubcadet.ca](http://cubcadet.ca)

**OUTPERFORMS EVERYTHING ELSE ON EARTH.**

Along with zero-turn maneuverability, the RZT™ S offers smooth handling and four-wheel steering for unsurpassed stability on hills. It's the smartest choice in residential zero-turn riders.



RZT L	RZT L 42KW	RZT L 50KW	RZT L 54KW FAB
Type of engine	21.5 HP* Kawasaki® OHV	23 HP* Kawasaki® OHV	23 HP* Kawasaki® OHV
Cylinders	726 cc / V-Twin	726 cc / V-Twin	726 cc / V-Twin
Transmission	Dual hydrostatic	Dual hydrostatic	Dual hydrostatic
Steering	Lap bars	Lap bars	Lap bars
Front axle	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel
Turning radius	Zero	Zero	Zero
PTO	Electric	Electric	Electric
Seat	High back deluxe	High back deluxe	High back deluxe
Cutting width / blades**	42" / twin blade	50" / triple blade	54" fabricated / triple blade
Warranty	3-year / 120-hr limited warranty		



RZT S	RZT S 42KW	RZT S 46KW	RZT S 50KW	RZT S 54KW FAB
Type of engine	21.5 HP* Kawasaki® OHV	21.5 HP* Kawasaki® OHV	23 HP* Kawasaki® OHV	23 HP* Kawasaki® OHV
Cylinders	726 cc / V-Twin	726 cc / V-Twin	726 cc / V-Twin	726 cc / V-Twin
Transmission	Dual hydrostatic	Dual hydrostatic	Dual hydrostatic	Dual hydrostatic
Steering	4-wheel steering with steering wheel control	4-wheel steering with steering wheel control	4-wheel steering with steering wheel control	4-wheel steering with steering wheel control
Front axle	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel
Turning radius	Zero	Zero	Zero	Zero
PTO	Electric	Electric	Electric	Electric
Reverse mowing	RevTEK™ reverse mowing system	RevTEK™ reverse mowing system	RevTEK™ reverse mowing system	RevTEK™ reverse mowing system
Seat	High back deluxe	High back deluxe	High back deluxe	High back deluxe
Cutting width / blades**	42" / twin blade	46" / twin blade	50" / triple blade	54" fabricated / triple blade
Warranty	3-year / 120-hr limited warranty			

\*As rated by engine manufacturer \*\*Mulch kits optional

### A STEP UP IN POWER AND PERFORMANCE

Innovative design that marries the toughness of a heavy-duty deck with powerful performance that allows you to get impeccable results.



### ULTRA-MANEUVERABILITY WITH ZERO-TURN CAPABILITIES

The dual hydrostatic rear-wheel transmission allows for easy zero-turn control. With the ability to turn on a dime, you'll be able to get the job done more efficiently leaving behind nothing but a professional-quality cut.



### EASY OPERATION MADE TO FIT YOU

Easily adjust to any terrain with the new effortless spring-assisted deck lift. Oversized lap bars feature an integrated parking brake for easier operation, full length comfort grips and quick-adjust knob for tool-less adjustment.

\* Z Force LZ models feature dual fuel tanks, quick adjust lap bars, 18" seat with armrests, heavy duty rear bumper and engine guard.

Z FORCE	Z FORCE L48	Z FORCE L54	Z FORCE L60	Z FORCE LZ48*	Z FORCE LZ54*	Z FORCE LZ60*
Type of engine	24 HP* Kohler 7000 Pro OHV	25 HP* Kohler 7000 Pro OHV	25 HP* Kohler 7000 Pro OHV	24 HP* Kawasaki® OHV	24 HP* Kawasaki® OHV	24 HP* Kawasaki® OHV
Cylinders	725 cc / V-Twin	725 cc / V-Twin	725 cc / V-Twin	726 cc / V-Twin	726 cc / V-Twin	726 cc / V-Twin
Transmission	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
Steering	Lap bars	Lap bars	Lap bars	Quick adjust lap bars	Quick adjust lap bars	Quick adjust lap bars
Front axle	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel
Turning radius	Zero	Zero	Zero	Zero	Zero	Zero
PTO	Electric	Electric	Electric	Electric	Electric	Electric
Seat	Deluxe 15" high back seat	Deluxe 15" high back seat	Deluxe 15" high back seat	Deluxe 18" high back seat with armrests	Deluxe 18" high back seat with armrests	Deluxe 18" high back seat with armrests
Cutting width / blades**	48" fabricated / triple blade	54" fabricated / triple blade	60" fabricated / triple blade	48" fabricated / triple blade	54" fabricated / triple blade	60" fabricated / triple blade
Warranty	3-year / 180-hr limited warranty					

Z FORCE SZ	Z FORCE SZ48	Z FORCE SZ54	Z FORCE SZ60
Type of engine	24 HP* Kawasaki® OHV	24 HP* Kawasaki® OHV	24 HP* Kawasaki® OHV
Cylinders	726 cc / V-Twin	726 cc / V-Twin	726 cc / V-Twin
Transmission	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
Steering	Steering wheel control	Steering wheel control	Steering wheel control
Front axle	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel
Turning radius	Zero	Zero	Zero
PTO	Electric	Electric	Electric
Reverse mowing	RevTEK™ reverse mowing system	RevTEK™ reverse mowing system	RevTEK™ reverse mowing system
Seat	Deluxe 18" high back seat with armrests	Deluxe 18" high back seat with armrests	Deluxe 18" high back seat with armrests
Cutting width / blades**	48" fabricated / triple blade	54" fabricated / triple blade	60" fabricated / triple blade
Warranty	3-year / 180-hr limited warranty		

### A FORCE IN ZERO-TURNS

Unmatched stability of four-wheel steering and exclusive steering wheel control to enjoy a better experience and better results every time.




\*As rated by engine manufacturer \*\*Mulch kits optional

Visit your local Cub Cadet® dealer for a test drive any day.



PROFESSIONAL RESULTS FROM START TO FINISH. The Z-Force™ SZ commercial series is an ideal fit for professional lawn care. These zero-turns marry heavy-duty commercial durability with the unmatched stability of four-wheel steering and the innovation of steering wheel control.



Z FORCE COMMERCIAL	Z FORCE LZ48 COMMERCIAL	Z FORCE LZ60 COMMERCIAL	Z FORCE SZ48 COMMERCIAL	Z FORCE SZ60 COMMERCIAL
Type of engine	23 HP* Kohler® OHV	23.5 HP* Kohler® OHV	23 HP* Kohler® OHV	23.5 HP* Kohler® OHV
Cylinders	747 cc / V-Twin	747 cc / V-Twin	747 cc / V-Twin	747 cc / V-Twin
Transmission	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
Steering	Quick adjust lap bars	Quick adjust lap bars	Steering wheel control	Steering wheel control
Front axle	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel	Heavy-duty fabricated steel
Turning radius	Zero	Zero	Zero	Zero
PTO	Electric	Electric	Electric	Electric
Seat	Deluxe high back elasticity vibration control with armrests	Deluxe high back elasticity vibration control with armrests	Deluxe high back elasticity vibration control with armrests	Deluxe high back elasticity vibration control with armrests
Cutting width / blades**	48" sloped nose fabricated steel / triple blade	60" sloped nose fabricated steel / triple blade	48" sloped nose fabricated steel / triple blade	60" sloped nose fabricated steel / triple blade
Warranty	2-year limited commercial warranty (no hour limit) or 4-year / 500 hour limited residential warranty			

\*As rated by engine manufacturer \*\*Mulch kits optional

Friendly product experts and factory-trained service technicians.

### THE FLAWLESS PERFORMANCE PROFESSIONALS EXPECT.

The Cub Cadet® TANK™ L and TANK™ LZ commercial zero-turn riders deliver what no one else can. They have unmatched ergonomic design for a better experience, plus untouchable durability to give you quality results for years to come.



Image may not be exactly as shown



**QUICK-ADJUST LAP BAR SYSTEM**  
(ON SELECT MODELS)

**COMMERCIAL-GRADE, KOHLER® COMMAND®  
OR KAWASAKI® FX SERIES ENGINES**

**MOST EFFICIENT DRIVE TRAIN  
IN THE INDUSTRY**

**ELASTICITY VIBRATION CONTROL  
SEATING SYSTEM WITH ARM RESTS**

**PIVOTING FRONT AXLE**

**INDUSTRY LEADING, HEAVY DUTY  
COMMERCIAL GRADE FRAME**

**FABRICATED COMMERCIAL-GRADE  
SLOPED-NOSE DECK**



### UNMATCHED ERGONOMICS AND PERSONALIZED COMFORT

The Cub Cadet® TANK™ LZ features the most responsive lap bar system, the only one that allows a full range of adjustability in the industry.



### DESIGNED TO LAST A LIFETIME

You'll be able to rely on the TANK™ L and TANK™ LZ year after year since it has the strongest, most durable frame of any commercial zero-turn available.

TANK L / TANK LZ	TANK L48	TANK L60	TANK LZ54 KW	TANK LZ60 KW
Type of engine	24 HP* Kohler® Command® PRO OHV	23.5 HP* Kohler® Command® PRO OHV	27 HP* Kawasaki® OHV	27 HP* Kawasaki® OHV
Cylinders	694 cc / V-Twin	747 cc / V-Twin	852 cc / V-Twin	852 cc / V-Twin
Transmission	Parker™ HTE230, 10 cc pumps and 260 cc wheel motors	Parker™ HTE230, 10 cc pumps and 260 cc wheel motors	Parker™ Torqpart 14 cc pumps and 280 cc wheel motors	Parker™ Torqpart 14 cc pumps and 280 cc wheel motors
Steering	Lap bars	Lap bars	Quick adjust tool-less lap bars	Quick adjust tool-less lap bars
Front axle	Reinforced pivoting steel	Reinforced pivoting steel	Reinforced pivoting steel	Reinforced pivoting steel
Turning radius	Zero	Zero	Zero	Zero
PTO	Electric	Electric	Electric	Electric
Seat	Deluxe high back elasticity vibration control seat with armrests and reclining backrest	Deluxe high back elasticity vibration control seat with armrests and reclining backrest	Deluxe ultra high back elasticity vibration control seat with adjustable lumbar, armrests, lumbar and reclining backrest	Deluxe ultra high back elasticity vibration control seat with adjustable lumbar, armrests, lumbar and reclining backrest
Cutting width / blades**	48" sloped nose fabricated steel / triple blade	60" sloped nose fabricated steel / triple blade	54" sloped nose fabricated steel / triple blade	60" sloped nose fabricated steel / triple blade
Warranty	2-year limited commercial warranty (no hour limit) or 4-year / 800 hour limited residential warranty		3-year limited commercial or residential warranty (no hour limit)	

\*As rated by engine manufacturer \*\*Mulch kits optional

You can expect to have an enjoyable experience from the moment you walk through your dealers door.

# TANK L / TANK LZ / TANK SZ ZERO-TURN RIDERS *Cub Cadet* 10

IT'S NOT JUST THE TOUGHEST COMMERCIAL ZERO-TURN. IT'S THE SMARTEST.

With steering wheel control and four-wheel steering, the Cub Cadet® TANK™ SZ offers truly unmatched stability on all types of terrain.



Image may not be exactly as shown



### UNSURPASSED RESULTS OF THE CUB CADET® SIGNATURE CUT™

Created with a superior deck design for greater performance, low maintenance and unbeatable durability. The sloped-nose cutting system allows the grass to rebound into the cutting edge of the blade for a cleaner, more even cut. Simply put, it's a smarter commercial deck for a professional-grade cut every time.

TANK SZ	TANK SZ54 KW	TANK SZ60 KW
Type of engine	27 HP* Kawasaki® OHV	27 HP* Kawasaki® OHV
Cylinders	852 cc / V-Twin	852 cc / V-Twin
Transmission	Parker™ Torqpart	Parker™ Torqpart
Steering	4-wheel steering with steering wheel control	4-wheel steering with steering wheel control
Front axle	Pivoting	Pivoting
Turning radius	Zero	Zero
PTO	Electric	Electric
Seat	Deluxe high back elasticity vibration control seat with armrests and reclining backrest	Deluxe high back elasticity vibration control seat with armrests and reclining backrest
Cutting width / blades**	54" sloped nose fabricated steel / triple blade	60" sloped nose fabricated steel / triple blade
Warranty	●————— 3-year limited commercial or residential warranty (no hour limit) —————●	

\*As rated by engine manufacturer \*\*Mulch kits optional

Turn to your dealer for the only choice in zero-turns.